



Water Quality Program

Permit Submittal Electronic Certification

Permittee: ISSAQUAH CITY

Permit Number: WAR045518

Site Address: 1775 12TH AVE NW
Issaquah, WA 98027-1307

Submittal Name: MS4 Annual Report Phase II Western

Version: 1

Due Date: 3/31/2023

Questionnaire

Number	Permit Section	Question	Answer
1	S5.A	Attach a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period per S9.D.6.	Not Applicable
2	S5.A	Attach updated annual Stormwater Management Program Plan (SWMP Plan). (S5.A.2)	Attachment 2021 Annual Report _2_03302023101701
3	S5.A	Implemented an ongoing program to gather, track, and maintain information per S5.A.3, including costs or estimated costs of implementing the SWMP.	Yes
4	S5.A.5.b	Coordinated among departments within the jurisdiction to eliminate barriers to permit compliance. (S5.A.5.b)	Yes
5	S5.C.1.	Have you convened an interdisciplinary team to inform and assist in the development, progress, and influence of the comprehensive stormwater planning program? (S.5.c.1). August 1, 2020	Yes
15	S5.C.1.c	Continue to design and implement local development-related codes, rules, standards, or other enforceable documents to minimize impervious surfaces, native vegetation loss, and stormwater runoff, where feasible? See S5.C.1.c.i. (Required annually)	Yes
16	S5.C.1.c	From the assessment described in S5.C.1.c.i (a), did you identify any administrative or regulatory barriers to implementation of LID Principles or LID BMPs? (Required annually)	No
19	S5.C.1.d	Developed a Stormwater Management Action Plan (SMAP) for at least one high priority area? (S.5.C.1.d.iii – Required by March 31, 2023)	Yes
19a	S5.C.1.d	Attach SMAP(s)	Stormwater Management Action P_19a_0330202309410 1
20	S5.C.2	Did you choose to adopt one or more elements of a regional program? (S5.C.2)	Yes

20a	S5.C.2	If yes, list the elements, and the regional program.	The City participated in the Puget Sound Starts Here regional program to build general awareness about methods to address and reduce impacts from stormwater runoff through coordination with the regional STORM group
21	S5.C.2	Attach a description of general awareness efforts conducted, including your target audiences and subject areas, per S5.C.2.a.i.	Attachment 2022 Annual Report _21_03302023094238
26	S5.C.2	Promoted stewardship opportunities (or partnered with others) to encourage resident participation in activities such as those described in S5.C.2.a.iii.	Yes
26a	S5.C.2	Attach a list of stewardship opportunities provided.	Attachment 2021 Annual Report _26a_03302023101804
27	S5.C.3.	Describe in Comments field the opportunities created for the public, including overburdened communities, to participate in the decision-making processes involving the development, implementation, and updates of the Permittee's SWMP and the SMAP. (S5.C.3.a)	Posted SWMP on the City of Issaquah website (which is available in multiple languages), distributed in an email Newsflash, and submitted the SWMP to the Environmental Board.
28	S5.C.3.	Posted the updated SWMP Plan and latest annual report on your website no later than May 31. (S5.C.3.b)	Yes
28a	S5.C.3.	List the website address in Comments field.	www.issaquahwa.gov/stormwaterpermit
29	S5.C.4.	Maintained a map of the MS4 including the requirements listed in S5.C.4.a.i-vii?	Yes
30	S5.C.4.	Started mapping outfall size and material in accordance with S5.C.4.b.i? (Required no later than January 1, 2020)	Yes
30a	S5.C.4.	Attach a spreadsheet that lists the known outfalls' size and material(s).	Attachment 2022 Annual Report _30a_03302023094956
31	S5.C.4.	Completed mapping connections to private storm sewers in accordance with S5.C.4.b.ii? (Required no later than August 1, 2023)	Not Applicable
33	S5.C.5	Informed public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste? (S5.C.5.b)	Yes
33a	S5.C.5	Actions taken to inform public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste.	PUBLIC EMPLOYEES Training has been developed and implemented for municipal staff that may observe or come into contact with illicit discharges. Staff are trained annually on procedures for reporting

and responding to the illicit discharges or illicit connections. The City ensures that all municipal field staff who are responsible for identification, investigation, termination, cleanup, and reporting illicit discharges, including spills, and illicit connections are trained to conduct these activities. Follow-up training is provided as needed to address changes in procedures, techniques or requirements.

BUSINESSES The City visits businesses as part of the Critical Aquifer Recharge Area (CARA); Fats, Oil and Grease (FOG); Pollution Prevention Assistance (formally Local Source Control); and Private Stormwater Inspection programs. These visits provide technical assistance on nonstormwater discharges and hazardous materials management. The Pollution Prevention Assistance (PPA) program is funded by the Department of Ecology, and works with local jurisdictions to prevent pollution and keep contaminants out of the urban waters of Washington State. The program allows the City of Issaquah to provide local businesses technical service on how to store, handle and dispose of their hazardous waste that they generate. This program melds nicely with the goals of the FOG and CARA program. The result of this technical service has changed the way many businesses manage their wastes locally, and have

become more organized to significantly reduce the possibility of spills into Issaquah's streams, groundwater, and natural habitats. This partnership between local businesses and the City of Issaquah allows business owners, property managers, and business employees to cooperate in successfully installing Best Management Practices (BMPs). The City also has a private stormwater inspection program, which works with, and provides information and education to, owners and property managers related to stormwater, illicit discharges, and improper waste disposal. In addition, the City responds quickly to citizen complaints regarding nonstormwater discharges, spills, and illegal dumping into the City's stormwater system or surface waters. Education is provided at the time or City response.

GENERAL PUBLIC

Regionally, the City participates in the STORM group and has joined the regional campaign, 'Puget Sound Starts Here.' This campaign has received multiple state and federal competitive grants. It consists of regional-aired television ads, radio ads, a website, earned media, and other outreach techniques. The group is also working on regional consistency of best management practices (BMPs), program strategies, messages and evaluations mechanisms. . The City also partners with

			<p>Cascade Water alliance to host a series of educational events focused on water conservation, pesticide free and natural yard care. They also partner with the Issaquah School District providing direct education on water quality and pollution prevention. Brochures, print ads, and fact sheets are also available on the City's website, kiosks, and at City events and booths such as Salmon Days, Bike to Work Day, and Paint and Pesticide Collections to inform citizens and businesses of stormwater, water pollution, and illegal dumping. More detail on the City's educational and outreach program can also be found in the Stormwater Management Program (SWMP) Plan.</p>
34	S5.C.5	Implemented an ordinance or other regulatory mechanism to effectively prohibit non-stormwater, illicit discharges as described in S5.C.5.c.	Yes
35	S5.C.5	Implemented procedures for conducting illicit discharge investigations in accordance with S5.C.5.d.i.	Yes
35a	S5.C.5	Cite field screening methodology in Comments field.	"Illicit Connection and Illicit Discharge Field Screening and Source Tracing Manual (Manual) that was developed to serve as guidance, prepared by Herrera Consultants for the Washington State Department of Ecology (May 2020) and the City Standard Operating Procedures for IDDE and Spill and Water Quality Response."
36	S5.C.5	Percentage of MS4 coverage area screened in the reporting year per S5.C.5.d.i. (Required to screen 12% on average each year.)	13

36a	S5.C.5	Cite field screening techniques used to determine percent of MS4 screened.	Catch Basin/ Manhole Inspections are used for IDDE field screening.Total number of cb's inspected for IDDE / total cb's known in Issaquah x 100= percentage inspected. Comment: can upload city SOP if needed.
37	S5.C.5	Percentage of total MS4 screened from permit effective date through the end of the reporting year. (S5.C.5.d.i.)	40.8
38	S5.C.5	Describe how you publicized a hotline telephone number for public reporting of spills and other illicit discharges in the Comments field. (S5.C.5.d.ii)	City Spill hotline is found on the City's Website, on Employees Business Cards, on Employees Email Signatures, and fact sheets distributed to residents/ business owners. Residents/ business owners are also able to "submit a request" via our City's website.
39	S5.C.5	Implemented an ongoing illicit discharge training program for all municipal field staff per S5.C.5.d.iii.	Yes
40	S5.C.5	Implemented an ongoing program to characterize, trace, and eliminate illicit discharges into the MS4 per S5.C.5.e.	Yes
41	S5.C.5	Municipal illicit discharge detection staff are trained to conduct illicit discharge detection and elimination activities as described in S5.C.5.f.	Yes
42	S5.C.5	Attach a report with data describing the actions taken to characterize, trace, and eliminate each illicit discharge reported to, or investigated by, the Permittee as described in S5.C.5.g. The submittal must include all of the applicable information and must follow the instructions, timelines, and format described in Appendix 12.	Attachment 2021 Annual Report _42_03302023101922
43	S5.C.6.	Implemented an ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii.	Yes
44	S5.C.6.	Revised ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii. (Required no later than June 30, 2022)	No Comment: We submitted a G20 for this already. Ordinance was adopted on September 19th, 2022. IMC 13.28 and 16.26 contain these requirements.
45	S5.C.6.	Number of adjustments granted to the minimum requirements in Appendix 1. (S5.C.6.b.i. and Section 5 of Appendix 1)	0

46	S5.C.6.	Number of exceptions/variances granted to the minimum requirements in Appendix 1. (S5.C.6.b.i., and Section 6 of Appendix 1)	0
47	S5.C.6.	Reviewed Stormwater Site Plans for all proposed development activities that meet the thresholds adopted pursuant to S5.C.6.b.i. (S5.C.6.c.i)	Yes
47a	S5.C.6.	Number of site plans reviewed during the reporting period.	127
48	S5.C.6.	Inspected, prior to clearing and construction, permitted development sites per S5.C.6.c.ii, that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 – Determining Construction Site Sediment Damage Potential?	No
48a	S5.C.6.	If no, inspected, prior to clearing and construction, all construction sites meeting the minimum thresholds (S5.C.6.c.ii)?	Yes
49	S5.C.6.	Inspected permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls per S5.C.6.c.iii.	Yes
49a	S5.C.6.	Number of construction sites inspected per S5.C.6.c.iii.	127
49b	S5.C.6.	Inspected stormwater treatment and flow control BMPs/facilities and catch basins in new residential developments every 6 months per S5.C.6.c.iv?	Yes
50	S5.C.6.	Inspected all permitted development sites upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater facilities. (S5.C.6.c.v)	Yes
51	S5.C.6.	Verified a maintenance plan is completed and responsibility for maintenance is assigned for projects prior to final approval and occupancy being granted. (S5.C.6.c.v)	Yes
52	S5.C.6.	Number of enforcement actions taken during the reporting period (based on construction phase inspections at new development and redevelopment projects). (S5.C.6.c.ii-iv) (S5.C.7.c.viii)	4
53	S5.C.6.	Achieved at least 80% of scheduled construction-related inspections. (S5.C.6.c.vi)	Yes
54	S5.C.6.	Made Ecology's Notice of Intent for Construction Activity and Notice of Intent for Industrial Activity available to representatives of proposed new development and redevelopment? (S5.C.6.d)	Yes
55	S5.C.6.	All staff whose primary job duties are implementing the program to control stormwater runoff from new development, redevelopment, and construction sites including permitting, plan review, construction site inspections, and enforcement are trained to conduct these activities? (S5.C.6.e)	Yes

56	S5.C.7.	Implemented maintenance standards that are as protective, or more protective, of facility function than those specified in the Stormwater Management Manual for Western Washington or a Phase I program approved by Ecology per S5.C.7.a.?	Yes
57	S5.C.7.	Updated maintenance standards specified in Stormwater Management Manual for Western Washington per S5.C.7.a? (Required no later than June 30, 2022)	No Comment: We submitted a G20 for this already. Ordinance was adopted on September 19th, 2022. IMC 13.28 and 16.26 contain these requirements.
58	S5.C.7.	Applied a maintenance standard for a facility or facilities which do not have maintenance standards specified in the Stormwater Management Manual for Western Washington? If so, note in the Comments field what kinds of facilities are covered by this alternative standard. (S5.C.7.a)	No
59	S5.C.7.	Verified that maintenance was performed per the schedule in S5.C.7.a.ii when an inspection identified an exceedance of the maintenance standard.	Yes
59a	S5.C.7.	Attach documentation of maintenance time frame exceedances that were beyond the Permittee's control.	Not Applicable
60	S5.C.7.	Implemented an ordinance or other enforceable mechanisms to verify long-term operation and maintenance of stormwater treatment and flow control BMPs/facilities regulated by the permittee per (S5.C.7.b.i (a))?	Yes
61	S5.C.7.	Annually inspected stormwater treatment and flow control BMPs/facilities regulated by the Permittee per S5.C.7.b.i(b)	No Comment: we submitted a g20 for this already
61a	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.b.i (b)	Not Applicable
62	S5.C.7.	Achieved at least 80% of scheduled inspections to verify adequate long-term O&M. (S5.C.7.b.ii)	No Comment: we submitted a g20 for this already
63	S5.C.7.	Annually inspected all municipally owned or operated permanent stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)	Yes
63a	S5.C.7.	Number of known municipally owned or operated stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)	380
63b	S5.C.7.	Number of facilities inspected during the reporting period.	368
63c	S5.C.7.	Number of facilities for which maintenance was performed during the reporting period.	114
64	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.c.i.	Not Applicable
65	S5.C.7.	Conducted spot checks and inspections (if necessary) of potentially damaged stormwater facilities after major storms as per S5.C.7.c.ii.	Yes

66	S5.C.7.	Inspected municipally owned or operated catch basins and inlets every two years or used an alternative approach? Cleaned as needed? (S.5.C.7.c.iii)	Yes
66a	S5.C.7.	Number of known catch basins?	7689
66b	S5.C.7.	Number of catch basins inspected during the reporting period?	1759
66c	S5.C.7.	Number of catch basins cleaned during the reporting period?	382
67	S5.C.7.	Attach documentation of alternative catch basin cleaning approach, if used. (S5.C.7.c.iii.(a)-(c))	Attachment 2021 Annual Report _67_03302023102310
68	S5.C.7.	Implemented practices, policies and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d)	Yes
69	S5.C.7.	Documented practices, policies, and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d – Required by December 31, 2022)	Yes
69a	S5.C.7.	Cite documentation in Comments.	NPDES Stormwater Best Management Practices SOP
70	S5.C.7.	Implemented an ongoing training program for Permittee employees whose primary construction, operations or maintenance job functions may impact stormwater quality. (S5.C.7.e)	Yes
71	S5.C.7.	Implemented a Stormwater Pollution Prevention Plan (SWPPP) for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under an NPDES permit that covers stormwater discharges associated with the activity. (S5.C.7.f)	Yes
72	S5.C.7.	Updated, if needed, SWPPPs according to S5.C.7.f no later than December 31, 2022.	Yes
73	S5.C.8	Adopted ordinance(s), or other enforceable documents, requiring the application of source control BMPs for pollutant generating sources associated with existing land uses and activities per S.5.C.8.b.i. (Required by August 1, 2022)	No Comment: we submitted a g20 for this already. Ordinance was adopted September 19th, 2022. IMC 13.28 contains Source Control Program.
74	S5.C.8	Established an inventory per S5.C.8.b.ii. (Required by August 1, 2022.)	Yes
74a	S5.C.8	Number of total sites identified for the inventory.	188
75	S5.C.8	Implemented an inspection program S5.C.8.b.iii (Required by January 1, 2023).	Yes

76	S5.C.8	Implemented a progressive enforcement policy per S5.C.8.b.iv (Required by January 1, 2023).	Yes
77	S5.C.8	Attach a summary of actions taken to implement the source control program per S5.C.8.b.iii and S5.C.8.b.iv.	Not Applicable
78	S5.C.8	Attach a list of inspections, per S5.C.8.b.iii, organized by the business category, noting the amount of times each business was inspected, and if enforcement actions were taken.	Not Applicable
79	S5.C.8	Implemented an ongoing source control training program per S5.C.8.b.v?	Yes
80	S7	Complied with the Total Maximum Daily Load (TMDL)-specific requirements identified in Appendix 2. (S7.A)	Yes
81	S7	For TMDLs listed in Appendix 2: Attach a summary of relevant SWMP and Appendix 2 activities to address the applicable TMDL parameter(s). (S7.A)	Attachment 2021 Annual Report _81_03302023101247
82	S8	Submitted payment for cost-sharing for Stormwater Action Monitoring (SAM) status and trends monitoring no later than December 1, 2019 (S8.A.1); and no later than August 15 of each subsequent year? (S8.A.2.a.)	Yes
84	S8	Submitted payment for cost-sharing for SAM effectiveness and source identification studies no later than December 1, 2019 (S8.B.1); and no later than August 15 of each subsequent year (S8.B.2.a or S8.B.2.c)?	Yes
87	S8	If conducting stormwater discharge monitoring in accordance with S8.C.1, attach a data and analysis report per S8.C.1. and Appendix 9. (Due annually beginning March 31, 2021.)	Not Applicable
88	G3	Notified Ecology in accordance with G3 of any discharge into or from the Permittees MS4 which could constitute a threat to human health, welfare or the environment. (G3)	No Comment: submitted a g20 already
89	G3	Took appropriate action to correct or minimize the threat to human health, welfare, and/or the environment per G3.A.	Yes
90	Compliance with standards	Notified Ecology within 30 days of becoming aware that a discharge from the Permittee's MS4 caused or contributed to a known or likely violation of water quality standards in the receiving water. (S4.F.1)	Yes
91	Compliance with standards	If requested, submitted an Adaptive Management Response report in accordance with S4.F.3.a.	Not Applicable
92	Compliance with standards	Attach a summary of the status of implementation of any actions taken pursuant to S4.F.3 and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period. (S4.F.3.d)	Not Applicable
93	G20	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance. (G20)	Yes

94	G20	Number of non-compliance notifications (G20) provided in reporting year. List permit conditions described in non-compliance notification(s) in Comments field.	2
94a	G20	List permit conditions described in non-compliance notification(s).	S.5.C.7.b.i(b), G.3, S.5.C.7(a), S.5.C.6(a), S.5.C.8(b)

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Emily Moon

3/30/2023 11:10:54 AM

Signature

Date